FUTRUN | JUKOOL

NANJING FUTRUN VEHICLES TECHNOLOGY CO.,LTD.



PARKING HEATER SERIES

CATALOG

Make All Enclosed Vehicle Spaces Air-Conditioned


5KW Brushed Split Unit

FT-PHS01

Heating capacity	5KW
Rated Voltage	12V24V
Operating Power Consumption	1~2A±1
Rated Power	20-48W
Fuel Consumption	0.2-0.45L/H
Fuel Type	Diese
Operating Temperature	-40℃—50℃
Dimensions	394*141*177mm
Weight	4kg



FT-PHS02




Heating capacity	5KW
Rated Voltage	12V24V
Operating Power Consumption	1~2A±1
Rated Power	20-48W
Fuel Consumption	0.2-0.45L/H
Fuel Type	Diese
Operating Temperature	-40℃—50℃
Dimensions	390*140*140mm
Weight	4kg


5KW Dual Brushless Split Unit

FT-PHS03

Heating capacity	5KW
Rated Voltage	12V24V
Rated Current	0.1A-2.2A
Rated Power	2.4-53W
Fuel Consumption	0.12-0.39 L/H
Fuel Type	Diese
Operating Temperature	-40℃—50℃
Dimensions	378×148×177mm
Weight	4kg



FT-PHS04




Heating capacity	5KW
Rated Voltage	12V24V
Rated Current	0.1A-2.2A
Rated Power	2.4W-53W
Fuel Consumption	0.12-0.39 L/H
Fuel Type	Diese
Operating Temperature	-40℃—50℃
Dimensions	404×142×177mm
Weight	4kg

5KW Brushed All-in-One Heater

FT-PHV01 (Vertical)

Heating capacity	5KW
Rated Voltage	12V24V220V
Operating Power Consumption	1~2A±1
Rated Power	20-48W
Fuel Consumption	0.2-0.45L/H
Fuel Type	Diese
Operating Temperature	-40℃—50℃
Dimensions	440*350*160mm
Weight	6kg



FT-PHH01 (Horizontal)



Heating capacity	5KW
Rated Voltage	12V24V220V
Operating Power Consumption	1~2A±1
Rated Power	20-48W
Fuel Consumption	0.2-0.45L/H
Fuel Type	Diese
Operating Temperature	-40℃—50℃
Dimensions	434*255*275mm
Weight	6kg

5KW Dual Brushless All-in-One Heater

FT-PHV02 (Vertical)

Heating capacity	5KW
Rated Voltage	12V24V
Rated Current	0.1A-2.2A
Rated Power	2.4-53W
Fuel Consumption	0.12-0.39 L/H
Fuel Type	Diese
Operating Temperature	-40℃—50℃
Dimensions	440×160×350mm
Weight	6kg



FT-PHH02 (Horizontal)



Heating capacity	5KW
Rated Voltage	12V24V
Rated Current	0.1A-2.2A
Rated Power	2.4W-53W
Fuel Consumption	0.12-0.39 L/H
Fuel Type	Diese
Operating Temperature	-40℃—50℃
Dimensions	434×255×275mm
Weight	6kg

All-in-One Battery Integrated Heater

FT-PHV03 (2kw Lithium Battery)

Heating capacity	2KW
Rated Voltage	12V24V
Rated Current	2.8A
Rated Power	35W
Fuel Consumption	0.13-0.24L/H
Fuel Type	Diese
Operating Temperature	-40℃—50℃
Dimensions	356x156x335mm
Weight	5.8kg



FT-PHV04 (5kw Lithium Battery)



Heating capacity	5KW
Rated Voltage	12V24V
Rated Current	4A
Rated Power	48W
Fuel Consumption	0.12-0.4 L/H
Fuel Type	Diese
Operating Temperature	-40℃—50℃
Dimensions	444×173×328mm
Weight	7.5kg

All-in-One Battery Integrated Heater

FT-PHH03 (5kw Lithium Battery)

Heating capacity	5KW
Rated Voltage	12V24V
Rated Current	4A
Rated Power	50W
Fuel Consumption	0.12-0.4L/H
Fuel Type	Diese
Operating Temperature	-40℃—50℃
Dimensions	434x268x255mm
Weight	7.3kg



All-in-One Self-generating Heater

FT-PHV05 (5kw)



Heating capacity	5KW
Rated Voltage	12V
Rated Current	4.3A
Rated Power	40W
Battery Capacity	30Ah
Fuel Consumption	0.12L-0.4L
Fuel Type	Diesel
Fuel Tank Capacity	6L
Operating Temperature	-40℃—50℃
Dimensions	460×293×358mm
Weight	15kg



JUKOOL

One-Stop All Series Vehicle
Air Conditioner / Heater Solutions